

OUT61113

25X1
25X1

S E C R E T 031936Z / CITE [REDACTED] 9777

1967 FEB 3 19 49Z

25X1

FULL DETAILS OF VERSATILE STEREOSCOPE BEING SENT BY LETTER.
 TO SUMMARIZE, STEREOSCOPE HAS BEEN PURCHASED IN QUANTITY BY [REDACTED]
 BUT IS NOT YET IN USE DUE TO LACK OF SUITABLE LIGHT TABLE. PROTO-
 TYPE TABLE SIMILAR TO ONE YOU REFERRED TO IS UNDER DEVELOPMENT AND
 EXPECTED IN ABOUT TWO MONTHS. INSTRUMENT CONSIDERED SUITABLE FOR
 DMS REQUIREMENTS.

6 FEB 1967

S E C R E T

--END OF MESSAGE--

DISTRIBUTION		
Cy No.	Office	Action
5	File	
	OS	
	SEC BR	
	TD3	
	CSD	
	IPD	
	PD	
	PSD	
	PSD-ICB	
	TID	
	IAD	
3	[REDACTED]	
	DIAXX-4	
	SPAD	
	NSA-LO	
	DIA-AP	

25

NGA review(s) completed.

Advance copy
Sanitized

25X1